









# SHCRAFT COMPANY

Dallas Office: 214-361-6611  
Fax: 214-368-5516

7027 Twin Hills Ave  
Dallas, TX 75231

Coil Dimensions		
Fin Height:	Fin Length:	# of Circuits:
Fin Surface:	Fin Depth:	# of Rows:
Fins / Inch:	Fin Thickness:	Fin Mat'l.:
Tube O.D.:	Tube Wall:	Tube Mat'l.:
Inlet Hdr O.D.:	Inlet Conn O.D.:	Inlet Mat'l.:
Outlet Hdr O.D.:	Outlet Conn O.D.:	Outlet Mat'l.:
End Plate Thickness:		End Plate Mat'l.:
T&B Plate Thickness:		T&B Plate Mat'l.:

Customer:	Customer P/N:
Date:	Page: _____ of _____
Coil Type:	Tube Pattern:

Performance Values		Performance Values	
If a Evaporator Coil, Fill in the following:		If a Water/Glycol/Hot Oil Coil, Fill in the following:	
Distributor Model:	HG Port O.D. (opt.):	Fluid (if not Water):	%: GPM:
or		EWT: °F	LWT: °F WPD: ft.H <sub>2</sub> O
Distributor O.D.:	Nozzle Size:	<b>If a Refrigeration Coil, Fill in the following:</b>	
# of Leads:	Lead O.D.:	Lead Length:	Type of Refrigerant: Condensing Temp: °F
<b>Coil Performance</b>		Sat. Suct Temp: °F	Liquid Temp: °F PD: PSIG
SCFM:	FA: sq.ft.	Air PD: "WG	<b>If a Steam Coil, Fill in the following:</b>
Entering Air: °F DB/ °F WB	Leaving Air: °F DB/ °F WB	Saturated Steam Pressure PSIG	Steam Temp: °F
Total BTU's:	Sensible BTU's:	Condensate Flow Rate:	lbs./hr.

**Notes / Comments:**





